



Belco Resources Equipment

GREENSCAPE CONSERVATION SEEDER


The Greenscape represents a total new concept in seeding. Being neither a grain drill nor PTO driven seeder, the Greenscape effectively prepares the soil, drops and lightly covers the seed, and firmly presses the soil for a perfectly prepared seedbed. It is designed to achieve a perfect pattern across the working width of the machine; no row effect as with drills or knife type overseeders. This machine will seed into all conditions, including primary seeding into prepared ground or overseeding into existing vegetation. Best of all, it's all ground driven – no PTO shafts or gearboxes to maintain, and requires only a 30 horsepower tractor to operate. When equipped with the optional seed boxes, the Greenscape will plant virtually any type or size seed at any rate that you desire. Available in 60' & 84" working widths.



The finest multi-task landscape machine ever developed

Benefits

- ❑ High ground speed – up to 7 MPH
- ❑ Full width broadcast coverage
NO ROW EFFECT
- ❑ Seed or overseed in any condition
 - Pastures
 - Road sides
 - Groomed Turf
 - Prepared ground
- ❑ Abrasive-Resistant mining steel tires for extremely high wear
- ❑ Front Roller aggressively drives second roller 40% faster
- ❑ High quality – High precision seed cups for precise seed distribution
- ❑ Seed disengagement system for aeration & seedcup safety shear pin
- ❑ Reinforced Nylon or Cast Iron corrugated roller rings
- ❑ Available Hoppers
 - Standard Large-Seed Box
 - Precision Legume Seed box
 - Native Grass Seed Box
 - Stainless Steel Fertilizer box




Front roller drives 2nd roller up to 42% faster




Typical Uses

Parks
Lawns
Pastures
Food Plots
Cover Crops
Golf Courses
Athletic Fields
Wildlife Habitats
Wetland Seeding
Erosion Controls
Roadside Seeding
Grassy Waterways
Wildflower Projects
Prairie Grass Projects
Turf grass Overseeding

Drive System




Two Ground Driven Spiked rollers with 4" spikes made from AR-500 Steel for high wear and no bending or breaking under any conditions



Front roller drives the second roller up to 42% higher rpm for optimum seed/ground contact.

Available Seed Hoppers



Typical Seeds

Large Grass Seed Hopper	Legume Seed Hopper	Native Grass Hopper
<i>Annual Rye Grass</i>	<i>Alfalfa</i>	<i>Virginia Wild Rye</i>
<i>Corn</i>	<i>Bermuda</i>	<i>Big Blue Stem</i>
<i>Cosmos - Sulphur</i>	<i>Carpet Grass</i>	<i>Native River Oats</i>
<i>Fertilizer</i>	<i>Centipede</i>	<i>Indian Grass</i>
<i>Fescue - Creeping Red</i>	<i>Clover - Ladino</i>	<i>Native Side Oats Gamma</i>
<i>Fescue - Kentucky 31 Tall</i>	<i>Clover - Red</i>	<i>Little Blue Stem</i>
<i>Kentucky Blue Grass</i>	<i>Cosmos - Bipinnatus</i>	
<i>Oats</i>	<i>Dixie Crimson</i>	
<i>Orchard Grass</i>	<i>Lespedza</i>	
<i>Pennington Contractor's Mix</i>	<i>Millet</i>	
<i>Perennial Rye Grass</i>	<i>Pennsicola Bahai</i>	
<i>Snow Peas</i>	<i>Rape</i>	
<i>Soybean</i>	<i>Sorghum</i>	
<i>Wheat</i>	<i>Switchgrass</i>	

GREENSCAPE - t



High precision ground drive seeding system.
You stop, seeds stop flowing!



Seed disengage pin for aeration only
Function and seed cup shearpin safety



Cast Iron or Nylon corrugated rings

Pasture Overseeding



Parks and Recs



Food Plot Seeding



Primary Seeding



Erosion Control



Rental



Wildflower Seeding Projects



Landscaping Overseeding




Roadside Seeding



the most versatile Seeder / Overseeder ever developed



NO ROW EFFECTS
Splash pan on hoppers spread seed along the entire working width




Adjustable tickler tines help incorporate seed into ground



Simple, highly accurate fluted seedcup adjustment system



DOT Wildflower Project—Cosmos Bipinnatus



2 Weeks After Seeding - Fertile Loamy Soil
Forage Oats - Austrian Winter Peas & Clover

The finest multi-task landscape machine ever developed

Machine Features Include:

- Heavy tubular frame construction
- All ground driven, no PTO shaft or gearbox to maintain
- Precise seed metering cups with individual clean out gates
- Perfect Pattern across full width of working area – no row effect as with PTO driven, knife type machines or soil drills
- Rear roller packer rings to firm and smooth seedbed
- Water tight seed box with agitator shaft – calibration chart and seeding rate chart
- Driven spiked rollers crumble soil just enough for perfect seed-to-soil contact
- Exclusive Torque Arm – keeps constant adjustable down pressure on rear cultipacker

Options Available:

- Twin seed boxes for seeding two different types of seed with one pass
- Additional drive sprocket combinations to achieve any seeding rate desired
- Fertilizer hopper to apply fertilizer and seeds with one pass
- Native warm season seed box with picker wheel

Specifications	GREENSCAPE 800	GREENSCAPE 840
HITCH	CAT 1 & 2	CAT 1, 2 & 3
HORSE POWER (MIN)	30 HP	50 HP
WORKING WIDTH	80"	84"
OVERALL WIDTH	73"	88"
OVERALL LENGTH	87"	78"
OVERALL HEIGHT	48"	54"
WEIGHT	1420 LBS.*	2080 LBS.**
LARGE-SEED BOX CAPACITY	3-1/2 BUSHEL	3-1/4 BUSHEL
LEGUME SEEDBOX CAPACITY	1-1/2 BUSHEL	2-1/8 BUSHEL
NATIVE SEED BOX CAPACITY	3-1/2 BUSHEL	3-1/4 BUSHEL
FERTILIZER BOX CAPACITY	3-1/2 BUSHEL	3-1/4 BUSHEL
FRONT SPIKE ROLLER	16.75" O.D. WITH 72 SPIKES	18.75" O.D. WITH 132 SPIKES
REAR SPIKE ROLLER	16.75" OD WITH 114 SPIKES	18.75" O.D. WITH 160 SPIKES
REAR CULTIPACKER ROLLER	FIBER REINFORCED NYLON RINGS	FIBER REINFORCED NYLON RINGS
ROLLER SPIKES	AR-500 STEEL	AR-500 STEEL
SPIKE ROLLER DRIVE RATIO	16:22	16:20
SEEDBOX DRIVE RATIO	16:28 STANDARD	17:28 STANDARD

Increasing agricultural productivity since 1974

Belco Resources Equipment

P.O. Box 8164
Rocky Mount, NC 27804
www.BR-Equipment.com



Tel: 252-442-0700
Fax: 252-442-0787
Sales@BRGlimited.com